

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted. Please retain these installation instructions for future reference.

IMPORTANT

This FENDER FLARES KIT is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris.

INSTALLATION INSTRUCTIONS

Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

FRONT FENDER FLARE

1. Firstly, use the screws to assemble the split fender flares.









2. Remove the original fender flares and install the new fender flares.

(The other side can be installed in the same way)

Notes:

P1: Fixing holes use the original vehicle's nylon expansion screws


P2-P5: Fixing holes use the original fender flare screws

P6-P8: Fixing holes use the self-tapping screws in this product kit

Fender Flares Kit For Kawasaki Teryx KRX 1000







3. Installation completed.





REAR FENDER FLARE

1. Firstly, use the screws to assemble the split fender flares





2. Remove the original fender flares and install the new fender flares.

(The other side can be installed in the same way)

Notes:

P1-P4: Fixing holes need to use a 6MM drill bit to punch out the fixing holes before using the screws for installation.


P5-9: Fixing holes can be fixed directly using the screws in the product kit.


Fender Flares Kit For Kawasaki Teryx KRX 1000

ZP-YJ-031010-001









3. Installation completed.

