LED Headlights for Kawasaki Mule PRO-FXT



BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

These LED Headlights are exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

Product and accessories picture:





1. First, remove the front bumper of the original vehicle's headlights, and then also remove the original headlights. As shown in picture:







2. Move all the steel clips and accessories from the original headlight onto the new headlight, and then fix the new headlight on the bumper. As shown in picture:



LED Headlights for Kawasaki Mule PRO-FXT

ZP-YJ-031001-003







3. Prepare the extension cable for the product, peel off one end of it and connect it to the original vehicle's reserved daytime running light wire harness plug-in. Connect the other end to the red aperture wire on the headlight and provide insulation protection. Then, connect the adapter cable for the headlight to the new headlight and the original vehicle wire harness separately (install the other headlight according to the same steps above), and finally install the bumper in place. As shown in picture:









LED Headlights for Kawasaki Mule PRO-FXT

ZP-YJ-031001-003





4. Installation finished.





Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.