SAUT 15

## ZP-YJ-031101-004

### **BEFORE YOU BEGIN**

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

These Headlights with Halo Ring are exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

### INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

Product and accessories picture:




1. Remove the original vehicle hood first.As shown in picture:





2. Remove the mounting bracket of the original headlight and disconnect the wiring harness connector. Then, remove the original headlight from the mounting bracket and fix the new headlight on the mounting bracket using the original method (it can be fixed using the original vehicle screws or the product matching screws). Install the other headlight in the same way as above. As shown in picture:



## Headlights with Halo Ring for Yamaha YXZ1000




### ZP-YJ-031101-004



3. Reinstall the installation bracket of the headlight on the original vehicle, and connect the headlight wiring harness with the overall wiring harness, then prepare the extension cable in the accessory bag back to the cab, open the decorative cover of the hand pillow box, find the ACC electrical box, peel off one end of the extension cable and connect it in the electrical box, and then pull the extension cable to the headlight and connect it with the two red optical wires on the headlight. And insulation protection.As shown in picture:








4. Select any point on the extension line to remove its outer skin, then prepare a new extension line and connect it to it. Connect the remaining end to the red light guide wire on the other side of the headlight, and provide insulation protection. Finally, reinstall the previously disassembled accessories. The exposed extension cable can be hidden under some decorative pieces. As shown in picture:

# Headlights with Halo Ring for Yamaha YXZ1000

### ZP-YJ-031101-004







**Note:** Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.



5. Installation finished.

