

Fender Flares for Yamaha RMAX2 1000



ZP-YJ-031110-003

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

These Fender Flares are exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.


INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.


Product and accessories pictures:



1. First, assemble the split front fender flares into a whole with screws. As shown in picture:



2. The rear fender flares are also assembled as a whole in this way. As shown in picture:



Installation steps for front fender flares:

3. Place the front fender flares on the original vehicle and use the self tapping screws provided with the product (flat washers need to be fitted on the screws) to fix them in any

Fender Flares for Yamaha RMAX2 1000



ZP-YJ-031110-003

two places to prevent them from moving during fixation. Then, install the other fixing screws in sequence. As shown in picture:

fender flares first, and then install the large fender flares above. Install the rear fender flares according to the installation method of the front fender flares. (Install the other side in the same way). As shown in picture:



Installation steps for rear fender flares:

4. Install the small fender flares below the rear

Fender Flares for Yamaha RMAX2 1000



ZP-YJ-031110-003



5. Installation is complete.



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.