

# Universal Windshield Vents For UTV Models

ZP-YJ-030603-173

SAUTV5

## BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted. Please retain these installation instructions for future reference.

## IMPORTANT



This UNIVERSAL WINDSHIELD VENTS KIT is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris.

## INSTALLATION INSTRUCTIONS


1. Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.
2. Product image.



3. First remove the windshield that needs to be installed with the air vent, and then tape the positioning paper of the air vent to the windshield (the installation position is according to the owner's wish).




4. Use a 3mm drill bit to drill holes according to the positions of the screw holes on the locator sheet, and then use a cutter to cut the holes according to the locator sheet.



# Universal Windshield Vents For UTV Models

ZP-YJ-030603-173

SAUTV5



5. Use M3\*20 self-tapping screws to fix the adjusting wrench on the top of the air vent port.

6. Finally, install the air vent port and air vent cover on the windshield, and use M4\*16 self-tapping screws to fix them (the other side of the air vent port is installed in the same way as above).





# Universal Windshield Vents For UTV Models

ZP-YJ-030603-173

SAUTV5



7. Installation completed.



